


REV	ZONE	ECN	DESCRIPTION OF CHANGE	DATE	DATE
?		?	?	?	?

1. ALL RESISTANCE VALUES ARE IN OHMS, 0.1 WATT +/- 5%.
2. ALL CAPACITANCE VALUES ARE IN MICROFARADS.
3. ALL CRYSTALS & OSCILLATOR VALUES ARE IN HERTZ.

# SCHEM, BIL INDICATOR BOARD

## K20 PROTO2, 8/26/2008



PART#	QTY	DESCRIPTION	REFERENCE DESIGNATOR(S)	CRITICAL	BOM OPTION
051-7812	1	SCHEM, BIL_IND_BRD, K20	SCH1	CRITICAL	
820-2478	1	PCBF, BIL_IND_BRD, K20	PCB1	CRITICAL	

DIMENSIONS ARE IN MILLIMETERS		<b>METRIC</b>		<b>APPLE INC.</b>	
XX :	_____	DRAPTR	DESIGN CK	<b>NOTICE OF PROPRIETARY PROPERTY</b> THE INFORMATION CONTAINED HEREIN IS THE PROPRIETARY PROPERTY OF APPLE COMPUTER, INC. THE POSSESSOR AGREES TO THE FOLLOWING: I TO MAINTAIN THE DOCUMENT IN CONFIDENCE II NOT TO REPRODUCE OR COPY IT III NOT TO REVEAL OR PUBLISH IN WHOLE OR PART	
X.XX :	_____	ENG APPD	MFG APPD		
X.XXX :	_____	QA APPD	DESIGNER		
ANGLES :	_____	RELEASE	SUMA		
DO NOT SCALE DRAWING		SCALE	NONE	<b>TITLE</b> SCHEM, BIL_IND_BRD, K20	
 THIRD ANGLE PROJECTION		MATERIAL/FINISH NOTED AS APPLICABLE	SIZE D	DRAWING NUMBER	REV. 1.0.0
				SHT 1 OF 1	